

# OCTOBER DEALS



# 2 YEARS FULL WARRANTYEXTRA DISCOUNT

**ON SELECTED ITEMS** 



# GN2100BT S/S two door bench freezer

WAS: \$2,690.00 . NOW:

\$2,421.00







### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- TROPICALISED GASTRONORM
- Two door
- Matches GN series bench fridges
- -22 to -18°C
- Aspera or Zanussi compressors
- German ËBM-Pabst fans
- Italian (Carel) digital temp. controls & read-out
- · 38°C & 90% RH

- internal corners rounded for easy cleaning
- · fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- extremely efficient self-closing doors
- heated door frame

# GN2100TN S/S two door bench fridge

WAS: -\$2,280.00

\$2,052.00

KG W D H ③

98 1360 700 850 240V; 390W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- •TROPICALISED GASTRONORM
- •Two door
- Matches GN series bench freezers
- 2 to 8°C
- Aspera or Zanussi compressors
- · German ËBM-Pabst fans
- Italian (Carel) digital temp. controls
- · Ambient 43°C & 90% RH

- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- extremely efficient self-closing doors
- · heated door frame
- 100mm wall clearance required for ventilation
- castors
- · gal metal back



# GN2100TNG Glass two door bench

WAS: <del>-\$2,420.00 -</del>

\$2,178.00

KG W D Н 98 1360 700 850 240V;

390W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- ·Stainless Steel interior & exterior
- •GASTRONORM
- Two glass doors
- Matches GN series bench freezers
- 2 to 8°C
- Aspera or Zanussi compressors
- German ËBM-Pabst fans
- · Italian (Carel) digital temp. controls & read-out
- Ambient 32°C & 75% RH

- · fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- insulation is CFC & HCFC free
- extremely efficient self-closing doors
- heated door frame

**GN3100BT** 

WAS: <del>\$2,990.00</del>

\$2,691.00

KG W **H** ① D 850 240V; 134 1795 700 430W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- TROPICALISED GASTRONORM
- · Three door
- Matches GN series bench fridges
- -22 to -18°C
- Aspera or Zanussi compressors
- · German ËBM-Pabst fans

- · Italian (Carel) digital temp. controls & read-out
- · 38°C & 90% RH
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- · insulation is CFC & HCFC free
- · heated door frame



### GN3100TN three door bench fridge

W/AS

<del>\$2,540.00</del> NOW:

\$2,286.00



134 1795 240V; 370W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- •TROPICALISED GASTRONORM
- ·Three door
- Matches GN series bench freezers
- 2 to 8°C
- one level of shelving plus floor
- Aspera or Zanussi compressors
- German ËBM-Pabst fans
- · Italian (Carel) digital temp. controls & read-out
- · Ambient 43°C & 90% RH
- · fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- insulation is CFC & HCFC free
- extremely efficient self-closing doors
- heated door frame

# GN3100TNG Glass three door bench

\X/AS <del>\$2,2790.00</del>

NOW: \$2,511.00 KG W D н  $\odot$ 

134 1795 850 240V; 370W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- GASTRONORM
- Three glass doors
- Matches GN series bench freezers
- 2 to 8°C
- · one level of shelving plus floor
- Aspera or Zanussi compressors
- German ËBM-Pabst fans
- Italian (Carel) digital temp. controls & read-out
- · Ambient 32°C & 75% RH

- · Units can be easily slid open for cleaning &
- internal corners rounded for hygiene & easy cleaning
- · fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- insulation is CFC & HCFC free
- extremely efficient self-closing doors
- heated door frame



### GN4100TN

WAS: <del>\$3,100.00</del>

**①** KG W D

900 153 2230 240V; 350W

\$2,790.00



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- TROPICALISED GASTRONORM
- Four door
- Matches GN series bench freezers
- · 850 mm bench height
- 2 to 8°C
- Aspera or Zanussi compressors
- · German ËBM-Pabst fans
- · Italian (Carel) digital temp. controls & read-out
- · Ambient 43°C & 90% RH

- · Units can be easily slid open for cleaning & maintenance
- · internal corners rounded for hygiene & easy cleaning
- fan-forced evaporator cooling
- auto defrost
- · self evaporating drainage
- insulation is CFC & HCFC free

# GN4100TNG Glass four door bench



KG W D



3,141.00

700 850 240V; 370W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

Stainless Steel interior & exterior\* **GASTRONORM** 

Four glass doors

Matches GN series bench freezers

- 2 to 8°C
- · one level of shelving plus floor
- · Aspera or Zanussi compressors
- · German ËBM-Pabst fans
- · Italian (Carel) digital temp. controls & read-out
- · Ambient 32°C & 75% RH
- · fan-forced evaporator cooling
- · auto defrost
- self evaporating drainage
- · insulation is CFC & HCFC free
- extremely efficient self-closing doors
- heated door frame
- 100mm wall clearance required for ventilation
- castors



### GN4200TN S/S four door bench fridge with

W/AS <del>\$3,100.00</del>

NOW: \$2,790.00 KG W D н  $\odot$ 153 2230

700 240V; 350W



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

- Stainless Steel interior & exterior\*
- •TROPICALISED GASTRONORM with Splashback
- ·Four door
- Matches GN series bench freezers
- •850 mm bench height + 50 mm splashback
- 2 to 8°C
- · one level of shelving plus floor
- Aspera or Zanussi compressors
- German ËBM-Pabst fans

- · Italian (Carel) digital temp. controls & read-out
- · Ambient 43°C & 90% RH
- · fan-forced evaporator cooling
- · auto defrost
- self evaporating drainage
- · insulation is CFC & HCFC free
- · extremely efficient self-closing doors
- · heated door frame

### GN4200TNG Glass four do bench fridge

н

\X/AS <del>\$3,490.00</del> NOW:

\$3,141.00

D

240V 350W

**①** 



### 2 YEARS PARTS & LABOR WARRANTY 10% OFF WHOLESALE PRICE

KG W

Stainless Steel interior & exterior\* GASTRONORM with Splashback Four glass doors

Matches GN series bench freezers

- · one level of shelving plus floor
- Aspera or Zanussi compressors
- · German ËBM-Pabst fans
- Italian (Carel) digital temp. controls & read-out
- · Ambient 32°C & 75% RH

- · internal corners rounded for hygiene & easy cleaning
- · fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- insulation is CFC & HCFC free
- extremely efficient self-closing doors
- heated door frame
- 100mm wall clearance required for ventilation
- castors



SC148G

Single door bar cooler

WAS: \$739.00 NOW:

\$665.10





### 10 % OFF WHOLESALE PRICE

- · Single Door BLACK MAGIC Drink Cooler
- · PROFESSIONAL BAR COOLERS
- 2 to 8°C
- two levels of shelving plus floor
- digital temp, control & read-out
- Zanussi compressors
- fan-forced evaporator cooling
- · double glazed
- · self-closing doors

- · door locks
- · light inside
- strong industrial shelving
- fully adjustable shelves
- 100mm wall clearance required for ventilation
- · auto defrost
- · Ambient 32°C & 75% RH
- \* Height: 900 mm
- Height without castors: 880 mm

SC248SD

Two sliding door bar cooler

WAS: -\$949.00 NOW:

\$854.10

cooler

**KG W D H ⊙**75 900 535 900 240V;
280W



- Suitable for under bench use if castors are removed\*
- 2 to 8°C
- two levels of shelving plus floor
- · digital temp. control & read-out
- Zanussi compressors
- · fan-forced evaporator cooling
- · double glazed
- self-closing doors

- · door locks
- · light inside
- strong industrial shelving
- · fully adjustable shelves
- 100mm wall clearance required for ventilation
- · auto defrost
- · Ambient 32°C & 75% RH
- · Height without castors: 880 mm



SC248G

WAS: <del>\$949.00</del> NOW:

KG W D Н **①** 240V; 900 900



### 10% OFF WHOLESALE PRICE

- •2 to 8°C
- two levels of shelving plus floor
- · digital temp. control & read-out
- Zanussi compressors
- fan-forced evaporator cooling
- · double glazed
- self-closing doors
- · door locks

- · light inside
- · strong industrial shelving
- fully adjustable shelves
- 100mm wall clearance required for ventilation
- · auto defrost
- Ambient 32°C & 75% RH
- \* Height: 900 mm
- · Height without castors: 880 mm

SC316G

WAS: NOW:

\$1,232.10

 $\bigcirc$ D 1350 535

KG W 315W

- 2 to 8°C
- · two levels of shelving plus floor
- · digital temp. control & read-out
- Zanussi compressors
- · fan-forced evaporator cooling
- · double glazed
- · self-closing doors
- · door locks
- · light inside

- · strong industrial shelving
- fully adjustable shelves
- 100mm wall clearance required for ventilation
- · auto defrost
- · Ambient 32°C & 75% RH
- \* Height: 900 mm
- Height without castors: 880 mm





**SC148SG** WAS: KG W D (?)<del>\$949.00</del> 600 240V; NOW: 160W

### 10 % OFF WHOLESALE PRICE

- Single Door STAINLESS STEEL Drink Cooler
- 2 to 8°C
- two levels of shelving plus floor

\$854.10

- digital temp. control & read-out
- Zanussi compressors

- double glazedself-closing doors

- · light inside
- strong industrial shelving
- fully adjustable shelves
- 100mm wall clearance required for ventilation
- auto defrost
- Stainless Steel Exterior
- Ambient 32°C & 75% RH
- · Height without castors: 880 mm

**SC248SG** cooler WAS: KG W **(** D Н <del>\$1,159.00</del> 900 240V; NOW: \$1,043.10



- · Suitable for under bench use if castors are removed\*
- 2 to 8°C
- · two levels of shelving plus floor
- digital temp. control & read-out
- Zanussi compressors
- · fan-forced evaporator cooling
- · double glazed
- · self-closing doors

- · door locks
- · light inside
- strong industrial shelving
- fully adjustable shelves
- 100mm wall clearance required for ventilation
- auto defrost
- · Ambient 32°C & 75% RH
- \* Height: 900 mm
- · Height without castors: 880 mm



**SC316SG** 

Three door S/S

was: <del>\$1,369.00</del> \$1,232.10

**KG W D H** © 92 1350 535 900 240V; 315W



- Suitable for under bench use if castors are removed\*
- 2 to 8°C
- two levels of shelving plus floor
- digital temp. control & read-out
- Zanussi compressors
- fan-forced evaporator cooling
- double glazed
- self-closing doors
- · door locks

- · light inside
- strong industrial shelving
- · fully adjustable shelves
- 100mm wall clearance required for ventilation
- auto defros
- Stainless Steel Exterior
- · Ambient 32°C & 75% RH
- \* Height: 900 mm
- · Height without castors: 880 mm





**SLB150** 

S/S salad bench fridge with S/S lid

<del>-\$3,700.00-</del> NOW:

\$3,330.00

KG W **①** D 128 1500 750 1090

240V: 390W



### 10 % OFF WHOLESALE PRICE

#### TAKES 7 X 1/3 PANS

- 2 to 8°C
- · cross-flow pan cooling
- "blown well"
- fridge has one level of shelving plus floor
- Embraco compressors
- · German ËBM-Pabst fans
- · digital temp. control & read-out
- · Ambient 38°C & 60% RH
- · working area 300 mm deep
- · bench height 880 mm
- · fan-forced evaporator cooling

- · auto defrost
- self evaporating drainage
- castors
- gal metal back
- pans not included
- Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

**SLB180** 

S/S salad bench fridge

WAS: <del>-\$3,980.00-</del>

NOW:

\$3,582.00

with S/S lid



145 1800 750 1090



### 10 % OFF WHOLESALE PRICE TAKES 9 X 1/3 PANS

- 2 to 8°C
- · cross-flow pan cooling
- · "blown well"
- fridge has one level of shelving plus floor
- Embraco compressors
- · German ËBM-Pabst fans
- · digital temp. control & read-out
- · Ambient 38°C & 60% RH
- · working area 300 mm deep
- · bench height 880 mm
- · fan-forced evaporator cooling

- · auto defrost
- · self evaporating drainage
- castors
- gal metal back
- pans not included
- · pan lid must be used to ensure correct operating temperature
- · Tops are holding units & product needs to be pre-chilled to less than 5°C before filling



SLB200

Salad / Pizza Bars

WAS: **\$4,200.00** NOW:

,200.00 3,780.00 KG W D H

300 750 1090 240V; 390W



# 10% OFF WHOLESALE PRICE TAKES 10 X 1/3 PANS

- 2 to 8°C
- cross-flow pan cooling
- Embraco compressors
- German ËBM-Pabst fans
- digital temp. control & read-out
- · Ambient 38°C & 60% RH
- working area 300 mm deep
- · bench height 880 mm
- fan-forced evaporator cooling

· auto defrost

**①** 

- castors
- · gal metal back
- pans not included
- pan lid must be used to ensure correct operating temperature
- $\cdot$  Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

PWB150

S/S pizza preparation bench fridge w/ PMMA lid

WAS: -\$3,700.00

\$3,330.00

KG W D

D H

H ③

75 900 535 900 240V; 280W



- Three Door
- 7 × 1/3 × 150 mm GN pans\*\*
- Stainless Steel interior & exterior\*
- 2 to 8°C
- fridge has one level of shelving plus floor
- tilted pans with easy-slide Perspex covers\*\*\*
- Embraco compressors
- · German ËBM-Pabst fans
- Dixell digital temp. control & read-out
- · Ambient 32°C & 60% RH
- internal corners rounded for hygiene & easy

- cleaning
- insulation is CFC & HCFC free
- extremely efficient self-closing doors
- · auto defrost · self evaporating drainage
- castors
- · gal metal back
- pans not included
- sliding pan covers must be used to ensure correct operating temperature
- Tops are holding units & product needs to be pre-chilled to less than 5°C before filling



**PWB180** 

S/S pizza
preparation
bench fridge

WAS: -\$3,990.00 NOW:

KG W D H ①

\$3,591.00



#### 10 % OFF WHOLESALE PRICE

- Three Door
- 9 × 1/3 × 150 mm GN pans\*\*
- Stainless Steel interior & exterior\*
- 2 to 8°C
- tilted pans with easy-slide Perspex covers\*\*\*
- Embraco compressors
- · German ËBM-Pabst fans
- Dixell digital temp. control & read-out
- · Ambient 32°C & 60% RH

- · insulation is CFC & HCFC free
- extremely efficient self-closing doors
- auto defrost self evaporating drainage
- castors
- · gal metal back
- pans not included
- Tops are holding units & product needs to be pre-chilled to less than 5°C before filling



(Service (Installation (Warranty (Training Spares (Preventative Maintenance (Advice

### FOOD EQUIPMENT TECHNICAL SERVICES

"we sell more than just a box"
IT'S YOUR MONEY!

Over 45 years experience

Lowest price PLUS quality and reliability

Nationwide after sales service & support

24x7 service and back-up

Dedicated 1300 phone numbers for service & support

Preventative maintenance programs available\*

National in-house service team

National in-house spare parts team

Warehouses, showrooms & test kitchens for all states

The Largest national dealer network





- •Refrigerated 2 to 8°C
- ·LED Lighting
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- · Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- Double glazed doors
- Castors
- \* gal metal back



- Refrigerated 2 to 8°C
- LED Lighting
- Embraco compressors & German ËBM-Pabst fans
- · Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- Ambient 38°C & 70% RH
- Lighting inside
- Light box
- Double glazed doors
- Castors
- \* gal metal back



**SUCG1000** 

<del>\$4,843.00</del>

\$3,390.00





### 2 YEARS PARTS & LABOR WARRANTY

- · Refrigerated · 2 to 8°C
- · Embraco compressors & German EBM-Pabst

- Fan-forced evaporator cooling
- Self evaporating drainageInsulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- · Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- · Double glazed doors
- Castors
- · gal metal back

**SUCG1200** 

<del>\$5,614.00</del>

**①** KG W D

\$3,930.00



- Refrigerated 2 to 8°C
- LED Lighting
- · Embraco compressors & German ËBM-Pabst
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- Self evaporating drainage
- · Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- Double glazed doors
- Castors
- · gal metal back





<del>\$7,557.00</del>

KG W **①** D

\$5,290.00



### 2 YEARS PARTS & LABOR WARRANTY

- Refrigerated 2 to 8°C
- · LED Lighting
- · Embraco compressors & German EBM-Pabst
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with
- · Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Double glazed doors

**SUC500** 

<del>\$3,000.00</del> NOW:

KG W

н D

 $\bigcirc$ 

\$2,100.00



- •2 × ½ doors
- •TROPICAL thermaster
- •STAINLESS STEEL EXTERIOR & INTERIOR\*
- ·Refrigerated · 2 to 8°C
- ·Ambient 43°C & 90% RH
- •Embraco compressors & German ËBM-Pabst
- •Dixell digital temp. controller & read-out
- ·4 levels of shelving plus floor
- ·Fan-forced evaporator cooling
- Auto defrost

- •Self evaporating drainage
- ·Insulation is CFC & HCFC free
- Self-closing doors with locks
- ·Ambient 43°C & 90% RH
- •Internal corners are rounded for hygiene & easy cleaning
- Castors
- \*gal metal back





- Refrigerated 2 to 8°C
- · Ambient 43°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- · 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- · Auto defrost
- Self evaporating drainage

- · Insulation is CFC & HCFC free
- · Self-closing doors with locks
- · Ambient 43°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- · gal metal back



- •1000Litre
- •4 × ½ doors
- •TROPICAL thermaster
- •STAINLESS STEEL EXTERIOR & INTERIOR\*
- •Refrigerated 2 to 8°C
- ·Ambient 43°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- · Dixell digital temp. controller & read-out
- · Fan-forced evaporator cooling

- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- · Ambient 43°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- \* gal metal back





- •1200Litre
- •4 × ½ doors
- •TROPICAL thermaster
- •STAINLESS STEEL EXTERIOR & INTERIOR\*
- •Refrigerated 2 to 8°C
- ·Ambient 43°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor

- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- · Ambient 43°C & 90% RH
- Castors
- \* gal metal back



- 1500Litre, 3 x Full Doors
- TROPICAL thermaster
- STAINLESS STEEL EXTERIOR & INTERIOR\*
- Refrigerated 2 to 8°C
- · Ambient 43°C & 90% RH
- Embraco compressors & German ËBM-Pabst
- Dixell digital temp. controller & read-out
- · 4 levels of shelving plus floor
- · Fan-forced evaporator cooling

- Auto defrost
- · Self evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- Ambient 43°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- \* gal metal back





- Freezer -22 to -18°C
- · STAINLESS STEEL EXTERIOR & INTERIOR\*
- · Embraco compressors & German ËBM-Pabst
- Dixell digital temp. controller & read-out
- · 4 levels of shelving plus floor
- Fan-forced evaporator coolingAuto defrost self evaporating drainage
- · Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- · Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- · Triple glazed doors
- Castors
- gal metal bac



- Freezer -22 to -18°C
- LED Lighting
- STAINLESS STEEL EXTERIOR & INTERIOR\*
- · Embraco compressors & German ËBM-Pabst fans
- · Dixell digital temp. controller & read-out
- · 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- · Auto defrost · self evaporating drainage
- · Insulation is CFC & HCFC free

- · Extremely efficient self-closing doors with
- Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- Triple glazed doors
- Castors
- \* gal metal back





Three glass door upright display freezer

WAS: \$10,714.00 NOW:

**KG W D H** ①
--- 1835 760 1980 240V

\$7,500.00



### 2 YEARS PARTS & LABOR WARRANTY

- Freezer -22 to -18°C
- LED Lighting
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- Light box
- · Double alazed doors
- Castors
- · gal metal back

SUF500

Two split S/S door upright freezer

WAS:

\$3,657.00

NOW:
\$2,560.00

Two split S/S door upright freezer

KG W D H ©

--- 620 760 1980 240V:
497W

- Freezer -22 to -18°C
- · Ambient 40°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost

- · Self evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- · Ambient 40°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- · gal metal back





- Freezer -22 to -18°C
- · Ambient 40°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- · 4 levels of shelving plus floor
- · Fan-forced evaporator cooling
- · Auto defrost
- Self evaporating drainage

- · Insulation is CFC & HCFC free
- · Self-closing doors with locks
- · Ambient 40°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- \* gal metal back



- STAINLESS STEEL EXTERIOR & INTERIOR\*
- Freezer -22 to -18°C
- · Ambient 40°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- · Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost

- Self evaporating drainage
- Insulation is CFC & HCFC free
- Self-closing doors with locks
- · Ambient 40°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- gal metal back



**OCTOBER DEALS** 

### 2 YEARS PARTS & LABOR WARRANTY

- Freezer -22 to -18°C
- · Ambient 40°C & 90% RH
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage

- · Insulation is CFC & HCFC free
- · Self-closing doors with locks
- · Ambient 40°C & 90% RH
- Internal corners are rounded for hygiene & easy cleaning
- Castors
- · gal metal back



- Freezer -22 to -18°C
- LED Lighting
- Embraco compressors & German ËBM-Pabst fans
- Dixell digital temp. controller & read-out
- 4 levels of shelving plus floor
- Fan-forced evaporator cooling
- Auto defrost
- Self evaporating drainage
- Insulation is CFC & HCFC free

- Extremely efficient self-closing doors with locks
- Internal corners are rounded for hygiene & easy cleaning
- · Ambient 38°C & 70% RH
- Lighting inside
- · Light box
- Double glazed doors
- Castors
- gal metal back





XW-JD

\$5,379.50 NOW:

KG W **①** D Н 28A

\$4,303.60



### 20 % OFF WHOLESALE PRICE

- · Up to 60 baskets per hour
- · Basket size: 500mm²
- · Door clearance height: 420 mm
- · height with door open: 1990 mm
- S/S wash & rinse arms
- Hanning wash pump: 0.735kW
- Tank Heater: 3kW
- · Booster Heater: 14kW

- · separate wash & rinse temp. LCD displays
- Cycle time: 90/60 sec
- · Incoming water pressure(Kg/cm2): 0.3 5
- Incoming water temp: 10 60°C
- · Water inlet: 3/4"
- Drain outlet: 32 mm
- · Comes with 1 dish rack & 1 cutlery basket

XW-668

<del>-\$3,399.00-</del> NOW:

KG W D **①** н 240V;

\$2,719.20



- Hourly Outputs: 40, 50 or 60 baskets
- · Cycle time for 60 baskets: 120/90/60 sec
- Basket size: 500mm²
- drain pump
- · detergent pump

- rinse aid
- · Water inlet: 3/4"
- Drain outlet: 32 mm
- · Comes with 1 dish rack & 1 cutlery basket
- · Large door opening 508 × 320 mm





# OCTOBER DEALS

### ORDERING FROM FED COULDN'T BE EASIER.....



CALL TOLL FREE AU: 1300 659 409 NZ: 09 415 6470 POST PO BOX 305 Milperra NSW 2214

**FAX**: 02 9771 3061

**ONLINE**: foodequipment.com.au

AUSTRALASIA'S LARGEST RANGE OF COMMERCIAL REFRIGERATION, CATERING, KITCHEN EQUIPMENT, RESTAURANT FURNITURE, COOKWARE and TABLEWARE