









# RENAULT MASTER ALWAYS DELIVERS

FROM EUROPE'S LEADING LCV MANUFACTURER COMES THE MASTER RANGE. RENAULT HAS DRAWN ON MORE THAN 100 YEARS OF AUTOMOTIVE DESIGN AND MANUFACTURING EXPERIENCE TO BRING YOU A COMMERCIAL VEHICLE RANGE THAT COMBINES PRACTICALITY, EFFICIENCY AND DURABILITY WITH OUTSTANDING COMFORT, DRIVABILITY AND SAFETY.

# EFFICIENT

FROM FORMULA 1® TO ZERO EMISSION ELECTRIC VEHICLES, RENAULT IS AT THE FOREFRONT OF ENGINE DEVELOPMENT TECHNOLOGY.



MAXIMUM TORQUE FROM 1,500rpm

### 2.3L DCI ENGINE

This highly efficient all-aluminium power plant incorporates a range of features that ensure it performs reliably and economically every day.

It is fitted with a turbocharger that includes a Variable Nozzle Turbine, improving throttle response and providing the engine with maximum torque from just 1,500rpm, right where you need it in busy city traffic.

Low speed torque doesn't come at the expense of high speed power – with 110kW available at 3,500rpm there's plenty in reserve for overtaking. Choose the manual transmission for maximum flexibility and control, or the AMT for a more relaxed driving experience, especially around town.





Because a driver can spend many hours a day behind the wheel, the Master combines functionality, technology and comfort to make your work day as productive as possible.

The spacious cabin, equipped with a practical, ergonomically-designed dashboard, integrates an array of storage compartments that can be reached easily from the driving position.

In the Master Cab Chassis Dual Cab, seating for seven is noticeably spacious and comfortable, with obvious consideration for passenger comfort in the rear.



- 1. Refrigerated glove box 2. Overhead parcel shelf
- 3. Pivoting seatback table for a notepad, laptop or your lunch
- 4. Air conditioning 5. Dash top A4 storage bin (standard on Dual Cab) 6. Cup holders 7. Mobile phone and coin holder
- 8. Door storage 9. Dual under seat storage compartment (standard on Dual Cab) 10. Cargo area light

# VERSATILE

## TRADESMAN, COURIER OR REFRIGERATED TRANSPORT – THERE'S A MASTER THAT'S JUST RIGHT FOR YOUR BUSINESS.

With a Van range spanning 8m³ to 17m³, and payloads from 1.6 to 2.5 tonnes, you'll find a Master that's sized just right for your business. Choose front wheel drive for low floor heights, large door openings and plenty of cargo headroom. Or choose rear wheel drive for high payloads, increased traction and serious cargo carrying capability.

With gross vehicle mass under 4.5T, anyone with a normal car license can drive the Master. Available with

both manual and automated manual powertrains, this van is ready to move almost anything!

Master features a unitary type chassis constructed of high strength-to-weight steel for an optimised body shell that's both lightweight and strong. These weight savings translate directly into higher payloads, without compromising on durability or practicality.

^L4H3 RWD Van

1.27M DOOR
OPENING WIDTHS
USABLE VOLUME
17M3^



# SAFE

A COMPREHENSIVE RANGE OF ACTIVE AND PASSIVE SAFETY SYSTEMS ARE ALWAYS WORKING TO KEEP YOU SAFE.

Renault has built its reputation on safety and the Master is no exception. Every Master comes standard with Electronic Stability Control (ESC), a sophisticated system that continuously monitors your vehicle's trajectory and selectively applies the brakes or limits engine torque to help maintain directional control. ESC helps prevent accidents on rough or slippery surfaces and when making emergency swerving or braking manoeuvres.

The Master's Anti-lock Braking System (ABS) means you'll always be able to stop in the shortest distance possible, while maintaining full steering control. With its 4 wheel discs and Electronic Brake-force Distribution (EBD), Master can come to a complete stop from 100km/h in as little as 42 metres – less than some popular passenger vehicles.

Height adjustable seat belts with Pretensioners and Load Limiters work to ensure you and your passenger are in the optimum position for the dual front airbags (plus front and side airbags with the optional Safety Pack) to provide you with maximum protection in the event of an accident.

The standard Cruise Control works to minimise fatigue, while the integrated Speed Limiter helps protect you from fines.



Adaptive ESC and Traction Control
 Trip computer 3. Driver and passenger airbags (side airbags optional, not available with suspension seat) 4. ABS with EBD
 Cruise control 6. Fog lamps\* 7. Cornering

lights\* 8. Automatic headlights and wipers\*

\*Optional equipment

# MASTER CAB CHASSIS OVERVIEW

### **SPECIFICATIONS**

Model	<del>                                     </del>					Chassis	
Model Code		H1	L4I			H1	
Transmission	MT	AMT	MT	AMT	MT	AMT	
ENGINE	т.		I 0 Interced	ad Disaat Is	isstine Die		
Type	- 11	urbocharged	d & Intercool		ijection Dies	sei	
Emission standard			Eur				
Capacity (cc)			22°				
Bore x stroke			85 x 1				
Cylinders / valves			110.00				
Maximum power (kW @ rpm)			110 @ 350 @ 15				
Maximum torque (Nm @ rpm) TRANSMISSION			330 @ 13	30 - 2730			
Туре		6 Spood Me	anual / 6-Sp	ood Autom	atad Manua		
Driven wheels		o-speed ivi	Re		ateu iviailua		
			5.				
Speeds at 1000 rpm in: 1st gear							
2 <sup>nd</sup> gear			11				
3 <sup>rd</sup> gear			17				
4 <sup>th</sup> gear			23		-		
5 <sup>th</sup> gear			30				
6 <sup>th</sup> gear	38.2 6.6						
Reverse			6.	b			
STEERING & BRAKES  Turning sirels (kerb to kerb) (m)		2.6		٠, ١	7		
Turning circle (kerb to kerb) (m)	13	3.6			5.7		
Turns lock-to-lock			3.7		-		
Brakes (front)			302 x 2				
Brakes (rear)			305 x 1	2 DISC			
WHEELS & TYRES			0.5	1.40			
Wheels (front)			6.5				
Wheels (rear)			5.5				
Tyres (front)			225/6		-		
Tyres (rear)			195/75 R	16 (Dual)			
FUEL CONSUMPTION <sup>^</sup>							
Combined cycle (L/100km)							
Exra urban cycle (L/100km)			-		-		
Urban cycle (L/100km)							
CO <sub>2</sub> emissions (g/km)							
CAPACITY				_			
Fuel tank (litres)			10	15			
WEIGHTS (kg)*	4077	4001	0005	0011	0000	0005	
Kerb weight	1975	1981	2005	2011	2223	2229	
Gross vehicle mass	0=0=	6545	45			22-	
Payload	2525	2519	2495	2489	2277	2271	
Front axle load			18				
Rear axle load			32				
Towing weight, braked			30		-		
Towing weight, unbraked			75	0			
DIMENSIONS (mm)			ı				
Wheelbase		82			332		
Overall height	22	183	22	73	22	86	
Overall width (excluding standard door mirrors)			20	70			
Overall width (including standard door mirrors)			24	70			
Overall length	60	199	67-	49	67	49	
Front overhang			84	2	•		
Rear overhang			15				

Model		Single Ca	Dual Cab Chassis				
Model Code	L3H1		L4H1		L4H1		
Transmission	MT	AMT	MT	AMT	MT	AMT	
Buildable overall length	64	52	79	28	6843		
Buildable cargo length	3639 /	3991	4289 / 5468		3539 / 4434		
Buildable overall width (standard / extended door mirrors)	2170 / 2350						
Height of bare chassis	78	34	786		778		
Minimum ground clearance	16	66	16	66	167		

<sup>^</sup>Actual fuel consumption depends on a range of factors, including body type specified by customer, final vehicle kerb weight, driving style and traffic conditions.

Chilled glove box Swivelling map light

FEATURES							
Model	Single Cab Chassis		Dual Cab Chassis	Model	Sir Cab C	Dual Cab Chassis	
Model Code	L3	L4	L4	Model Code	L3	L4	L4
Powertrain		RWD		Powertrain		RWD	
SAFETY & SECURITY				Interior light	S	S	S
ABS (Anti-lock Braking System) with EBD (Electronic Brakeforce Distribution)	S	S	S	Coat hooks  Digital clock with outside air temperature display	S S	S S	- S
<u> </u>	S	S	S	Pollen filter	S	S	S
ESC (Electronic Stability Control) with ASR (Traction Control)	S	S	S	Audio & Technology	5	) 3	3
3-point height adjustable seat belts with pre-tensioner		_	_			0	
Front driver & passenger airbags	S	S	S	Multifunction trip computer	S	S	S
R.A.I.D. door deadlocking & auto "on the move" locking	S	S	S	Gear change indicator	S	S	S
Driver & passenger head & side airbags (not available with driver's suspension seat)	0	0	0	2x15W CD/MP3 radio with roof mounted display & steering mounted controls	S	S	S
Cruise control & variable speed limiter	S	S	S	Bluetooth® hands-free connectivity with audio streaming	S	S	S
Reversing camera	Α	Α	Α	USB audio input & 3.5mm aux jack	S	S	S
Remote central locking	S	S	S	2 x 12V dashboard power outlets	S	S	S
Alarm	0	0	0	Integrated TomTom® Satellite Navigation	0	0	0
Engine immobiliser	S	S	S	Reverse parking sensors	Α	А	Α
Double optic front headlamps with cornering lamps	S	S	S	Exterior			
Automatic headlights, rain sensing windscreen wipers &	_			Opening rear windows	-	-	S
fog lights	0	0	0	Protective body side mouldings	S	S	S
Fog lights	0	0	0	Integrated front bumper step	S	S	S
Brake pad wear indicator	S	S	S	Steel mesh rear step (zinc plated forged welded grating –	А	А	А
FEATURES				park sensor & towbar compatible)	_		
Interior			1	Steel drop side tray	Α	A	A
Cloth seat upholstery	S	S	S	Aluminium drop side tray	Α	A	A
Leather look seat upholstery (not compatible with				Front mud flaps	S	S	S
passenger side under seat storage compartment or driver suspension seat)	0	0	0	Small wheel covers	S	S	S
of univer suspension seaty				Under body spare wheel	S	S	S
Height, reach, rake & lumbar adjustable driver's seat with	S	S	S	Eaton® automatic differential lock	0	0	S
armrest				Engine power take off (manual transmission only)	0	0	0
Isringhausen® driver's suspension seat (not compatible with	0	0	0	Transmission power take off (manual transmission only)	0	0	0
side airbags)				Towing pack	A	A	A
Power steering	S	S	S	OPTION PACKS	T	_	
Height adjustable steering column	S	S	S	Safety & Security Pack Automatic headlights & rain sensing windscreen wipers			
Dual passenger bench seat with fold down centre seat & integrated seat back table	S	S	S	Dual side airbags (not available with driver suspension seat)			
Single passenger bucket seat	0	0	0	Fog lights	0	0	0
Four position rear seat	-	-	S	Rear demister			
Storage compartment under passenger seat (not compatible with leather look seat upholstery)	0	0	S	Alarm Headlights with cornering lights			
Overhead storage shelf	S	S	S	Premium Pack B			
Cup holders (dash x 2, console x 2, seat back x 2)	S	S	S	Integrated TomTom® Satellite Navigation			
Drink bottle door storage	S	S	S	Storage compartment under passenger seat			0
Additional large door storage bin	0	0	S	Additional large door storage bin Glasses storage	0	0	0
Glasses storage case	0	0	S	A4 dashboard storage compartment			
•		_	_	WADDANTY			
A4 dashboard storage compartment	0 S	0 S	S	WARRANTY			
Variable speed intermittent windshield wipers			S	3 Year/200,000 Kilometres with 24 Hour Roadside Assistance	S	S	S
Electric front windows	S	S	S				
Electric door mirrors with wide angle blind spot mirrors	S	S	S				
Day/night rear view mirror	S	S	S	S — Standard			
Manual air-conditioning	S	S	S	0 — Factory Option			
Climate controlled air conditioning, automatic headlights & wipers	0	0	0	A — Dealer Accessory			

<sup>\*</sup>Tare mass excludes driver, but includes all fluids, tools and 10 litres of fuel. Weights are intended as a guide only and additional weight of optional equipment must be taken into consideration. For accuracy the actual vehicle should always be weighed to determine the exact tare weight for the specification ordered.

# MASTER VAN OVERVIEW

## SPECIFICATIONS

Model	MWB N	/lid Roof	LWB N	lid Roof	ELWB H	ligh Roof	Model MWB Mid Roof LWB		LWB Mid Roo	of	ELWB Hig	h Roof	
Model Code	L2	2H2	L3	H2	L4	1H3	Model Code	L2H2	L3H2		L4H3	3	
Transmission	MT	AMT	MT	AMT	MT	AMT	Transmission	MT AMT	MT AN	/IT	MT	AMT	
ENGINE							Cargo bay length	3083	3733		4383	3	
Туре	Т	urbocharge	d & Intercoo	oled Direct I	njection Die	sel	Cargo bay width	1765	1765		1765	5	
Emission standard	Euro 5					Cargo bay height	1894	1894		2048	3		
Capacity (cc)	2299						Cargo bay width between	80		1080	1		
Bore x stroke	85 x 101.3				wheel arches	000		1000	,				
Cylinders / valves			4 .	/ 16			Front overhang	842			842		
Maximum power (kW @ rpm)			110 @	2 3500			Rear overhang 1024				1674	ļ	
Maximum torque (Nm @ rpm)			350 @ 15	500 - 2750			Width of sliding door(s)	r(s) 1270					
TRANSMISSION							Height of sliding door			1604			
					6-Snood	onening(s)		1780			1684		
Туре	6-Speed Manual / 6-Speed Automated				6-Speed Manual / 6-Speed Automated		Rear door width		1580				
,		ivia	nual		Ma	nual	Rear door height	18	320		1724		
Driven wheels		Fr	ont		R	ear	Loading sill height	Min: 548 /	Min: 543 /		Min: 700 /		
Speeds at 1000 rpm in: 1st gear			5.9		+	5.9	(laden/unladen)	Max: 562	Max: 557		Max: 715		
2 <sup>nd</sup> gear			2.9		+	1.5	Minimum ground clearance	178	172		167		
3 <sup>rd</sup> gear			0.8		1	7.1	VOLUME (L)				107		
4 <sup>th</sup> gear			9.5		+	3.4	Load volume	10.8	13.0		17.0	1	
5 <sup>th</sup> gear			8.1			0.6							
6 <sup>th</sup> gear			8.3		+	8.2	^Actual fuel consumption depends on a range of factors, including body tyles final vehicle kerb weight, driving style and traffic conditions.			specified by customer,		er,	
Reverse			5.6		+	6.6				f. 2 - 1-1	iahta ara intandad aa a		
STEERING & BRAKES			0.0		0	0.0	*Tare mass excludes driver, but includes all fluids, tools and 10 litres of fuel guide only and additional weight of optional equipment must be taken into c						
	11	2.6	1	F 7	1	F 7	actual vehicle should always be weighed to determine the exact tare weight				fication ord	ered.	
Turning circle (kerb to kerb) (m)	I.	3.6		5.7	1:	5.7							
Turns lock-to-lock			-	.76			FEATURES						
Brakes (front)				28 Disc									
Brakes (rear)			305 x	12 Disc			Model			L2H2	Panel var		
WHEELS & TYRES	l				Ι .		Model Code				L3H2	L4H3	
Wheels (front)		6.5	J16				Powertrain				ND	RWI	
Wheels (rear)				5.5 J 16			SAFETY & SECURITY				1	1	
Tyres (front)		225/65 R	16 (Single)		225/65 R16		ABS (Anti-lock Braking System)	with EBD (Electronic B	rakeforce	S	s	S	
Tyres (rear)			- (- 3 - /		195/75 F	R16 (Dual)	Distribution)						
FUEL CONSUMPTION <sup>^</sup>	1		1				ESC (Electronic Stability Control	) with ASR (Traction Co	ontrol)	S	S	S	
Combined cycle (L/100km)	8.3	8.7	8.3	8.7		-	3-point height adjustable seat b	elts with pre-tensioner	•	S	S	S	
Exra urban cycle (L/100km)	7.8	8.0	7.8	8.0		-	Front driver & passenger airbag	-				S	
Urban cycle (L/100km)	10.2	8.8	10.2	8.8		_	R.A.I.D. door deadlocking & aut	deadlocking & auto "on the move" locking			S	S	
CO <sub>2</sub> emissions (g/km)	227	217	227	217		-	Driver & passenger head & side	airbags (not available	with driver's	0	0	0	
CAPACITY							suspension seat)				Ů		
Fuel tank (litres)			1	05			Cruise control & variable speed	limiter		S	S	S	
WEIGHTS (kg)*							Reversing camera			0	0	0	
Kerb weight	1880	1886	1970	1976	2366	2372	Steel bulkhead with rear view v	vindow		S	S	S	
Gross vehicle mass		35	510		45	500	Cargo barrier (AS4034 compliar	nt)		Α	Α	Α	
Payload	1630	1624	1540	1534	2134	2128	Remote central locking			S	S	S	
Front axle load		1	18	350		1	Alarm			0	0	0	
Rear axle load		21	100		32	200	Engine immobiliser			S	S	S	
Towing weight, braked			500		+	000	Double optic front headlamps with cornering lamps		S	S	S		
Towing weight, unbraked				50			Automatic headlights, rain sensing windscreen wipers & fog lights		0	0	0		
DIMENSIONS (mm)				-			Fog lights	<u> </u>	-5 5	0	0	0	
Wheelbase	36	582		1	332		Brake pad wear indicator			S	S	S	
Overall height													
		2502 2496 2808					Interior						
Overall width (excluding standard door mirrors)			20	070									
Overall width (including standard door mirrors)			24	470		-	Cloth seat upholstery  Leather look seat upholstery (no under seat storage compartment)			0	0	0	
Overall length	E1	548	6-	198	69	348	Height, reach, rake & lumbar ac			S	S	0	
ovoran rongui	1 33	J-1U	1 0	100	1 00	J-1U	יוטואיוג, וטמטוו, ומתכ מ ועוווטמו מנ	ajaotabio urivor 3 SEAL V	riai wiiiibol				

Model	Panel van				
Model Code	L2H2	L3H2	L4H3		
Powertrain		VD	RWD		
Isringhausen® driver's suspension seat (not compatible with side airbags)	0	0	S		
Power steering	S	S	S		
Height adjustable steering column	S	S	S		
Dual passenger bench seat with fold down centre seat & integrated seat back table	S	S	S		
Single passenger bucket seat	0	0	0		
Storage compartment under passenger seat (not compatible with leather look seat upholstery)	0	0	0		
Overhead storage shelf	S	S	S		
Cup holders (dash x 2, console x 2, seat back x 2)	S	S	S		
Drink bottle door storage	S	S	S		
Additional large door storage bin	0	0	0		
Glasses storage case	0	0	0		
A4 dashboard storage compartment	0	0	0		
Variable speed intermittent windshield wipers	S	S	S		
Electric front windows	S	S	S		
Electric door mirrors with wide angle blind spot mirrors	S	S	S		
Day/night rear view mirror	S	S	S		
Manual air-conditioning	S	S	S		
Climate controlled air conditioning, automatic headlights & wipers	0	0	0		
Chilled glove box	S	S	S		
Rear window demister	0	0	S		
Swivelling map light	S	S	S		
Interior light	S	S	S		
Coat hooks	S	S	S		
Digital clock with outside air temperature display	S	S	S		
Pollen filter	S	S	S		
Audio & Technology					
Multifunction trip computer	S	S	S		
Gear change indicator	S	S	S		
2x15W CD/MP3 radio with roof mounted display & steering mounted controls	S	S	S		
Bluetooth® hands-free connectivity with audio streaming	S	S	S		
USB audio input & 3.5mm aux jack	S	S	S		
2 x 12V dashboard power outlets	S	S	S		
Integrated TomTom® Satellite Navigation	0	0	0		
Reverse parking sensors	S	S	S		
Exterior	1 0	0	0		
Protective body side mouldings	S	S	S		
Integrated front bumper step	S	S	S		
Left sliding cargo door – unglazed	S	S	S		
Left sliding cargo door – drigitazed  Left sliding cargo door – glazed	0	0	0		
Left sliding cargo door – grazed  Left sliding cargo door – opening window	0	0	0		
Right & left sliding cargo door – unglazed	0	0	0		
	0	0	0		
Right & left sliding cargo door – glazed	+ -	_	_		
Right & left sliding cargo door – opening window	0	0	0		
Dual rear doors with 270 degree opening – glazed	S	S	S		
Dual rear doors with 270 degree opening – unglazed  Window van – includes dual side sliding doors with opening or fixed windows, and body side glazing with fixed windows	0	0	0		

	Model Code	L2H2	L3H2	L4H3
	Powertrain	F۷	VD	RWD
	Steel mesh rear step (zinc plated forged welded grating – park sensor & towbar compatible)	А	Α	А
_	Steel roof rack	Α	Α	Α
	Front mud flaps	S	S	S
	Rear mud flaps	S	S	S
	Full wheel covers	S	S	-
	Small wheel covers	0	0	S
	Under body spare wheel	S	S	S
	Eaton® automatic differential lock	-	-	0
	Engine power take off (manual transmission only)	0	0	0
	Transmission power take off (manual transmssion only)	-	-	0
	Towing pack	Α	Α	Α
	Cargo Area			
	Overhead storage compartment	S	S	S
	Anti-slip timber floor	0	0	0
	Full height plywood (with vinyl facing) cargo area lining	Α	Α	Α
	Anti-slip timber floor & mid height plywood cargo area lining	0	0	0
	Mid-height plastic cargo area lining	S	S	S
	Interior cargo area lighting	S	S	S
	Cargo tiedowns	S	S	S
	12V power outlet	0	0	0
_	Access handle kit (left hand slide door + left hand & right hand rear doors)	А	А	А
	OPTION PACKS			
	Safety & Security Pack Automatic headlights & rain sensing windscreen wipers Dual side airbags (not available with driver suspension seat) Fog lights Rear demister Alarm Headlights with cornering lights	0	0	0
	Premium Pack A Integrated TomTom® Satellite Navigation Reversing camera Storage compartment under passenger seat Additional large door storage bin Glasses storage A4 dashboard storage compartment 12V power outlet (cargo area)	0	0	0
	WARRANTY			
_	3 Year/200,000 Kilometres with 24 Hour Roadside Assistance	S	S	S
_	S — Standard O — Factory Option			

Panel van

O — Factory Option

A — Dealer Accessory

# COLOURS



389 Glacier White (S)



423 Caribbean Blue (S)



719 Carmen Red (S)



RNQ Persian Blue (S)



396 Chrome Yellow (S)

031 Orange (S)

489 Atlantic Blue (S)



D90 Moss Green (S) \*



KNH Star Grey (M)



J47 Tempest Blue (M)

(S) — Solid (M) — Metallic

\*Available on Van variants only, it should be noted that printing limitations do not permit the subtle paintwork shades on these pages to be shown with absolute accuracy. Only personal inspection of the Renault Master at your Renault Dealer will reveal it in its true colours. From time to time changes are made to the colour range. Please check availability with your Renault Dealer.





# REASSURANCE

WHEN YOU PURCHASE A RENAULT COMMERCIAL VEHICLE YOU CAN LOOK FORWARD TO YEARS OF PRODUCTIVE AND ECONOMICAL SERVICE, BACKED BY A TRUSTED AND RELIABLE BRAND.



### 24/7 ROADSIDE ASSISTANCE

Renault's 24/7 Roadside Assistance is there to help you for the length of your new vehicle warranty. Just call 1800 009 008 and we'll arrange the assistance you need to get back on the road. The service is available 24 hours a day, 365 days per year and covers you right across Australia.

Your Renault Master comes with 3 years of 24/7 Roadside Assistance.

### **REPAIR & SERVICE COURTESY VEHICLES**

To minimise your inconvenience while your vehicle is undergoing maintenance or repairs, our authorised Renault Dealers have low cost loan vehicles ready and waiting for you. Simply book a loan vehicle in advance when you book your Renault in for service with your dealer.



### **COMPREHENSIVE WARRANTY**

Renault has been building and racing motor vehicles for more than 100 years. The wealth of experience we've gained is reflected in the design, performance and quality of every vehicle we sell.

We're so confident of the quality of your new Renault Master, we back it with a 3-year/200,000km warranty.

### RENAULT EXPERTISE

Everywhere, at every stage in your vehicle's life, the Renault dealer network is with you. We provide:

- Personalised reception and advice
- Registered Renault Factory Trained Technicians (COTECHs)
- The use of only Genuine Renault parts
- The Renault 1-year parts and labour guarantee for all repairs carried out by a Renault dealership
- Equipment and tools specially designed for your Renault
- Clear, simple and transparent pricing structures





(www.renault.com.au)

